

Citrix SFP-TX Compatible SFP Module - 100BASE-T - SFP to RJ45 Cat6/Cat5e - 1GE Gigabit Ethernet SFP - RJ-45 100m

Product ID: SFP-TX-ST



The SFP-TX-ST is a Citrix SFP-TX compatible copper transceiver module that has been designed, programmed and tested to work with Citrix brand switches and routers. It delivers dependable 1 GbE connectivity over copper cable, for 1000Base-T compliant networks, with a maximum distance of up to 100 m (328 ft).

Technical Specifications:

- **Maximum Data Transfer Rate:** 1000 Mbps (1 Gbps)
- **Type:** Copper
- **Connection Type:** RJ-45
- **Maximum Transfer Distance:** 100 m (328 ft)
- **MTBF:** 510,469,759 hours
- **Power Consumption:** Low power consumption
- **Digital Diagnostics Monitoring (DDM):** No

This SFP copper module is hot-swappable, making upgrades and replacements seamless by minimizing network disruptions.

StarTech.com SFPs

All StarTech.com SFP & SFP+ transceiver modules are backed by a lifetime warranty and free lifetime multilingual technical support. StarTech.com offers a wide variety of SFP modules and direct-attach SFP cables, providing the convenience and reliability you need to ensure dependable network performance.

Certifications, Reports and Compatibility



Features

- **100% CITRIX SFP-TX COMPATIBLE SFP TRANSCEIVER:** Designed, programmed and tested to work with compatible Citrix switches and routers to deliver dependable 1GbE connectivity
- **TECHNICAL SPECS:** 1000BASE-T | 1Gbps | Copper | RJ-45 Connector | Distances up to 100m (328ft)
- **TESTED FOR OEM HOST COMPATIBILITY:** Hot-swappable in Citrix routers and switches
- **LIFETIME WARRANTY:** Backed by a lifetime warranty on the life of the module itself - not the life of your switch. Our modules won't void your OEM warranty and supported by our Tech Advisors 5/24.
- **WORKS WITH MSA COMPLIANT SWITCHES:** Also works with switch models from Ubiquiti, D-Link, Netgear, Supermicro, TP-Link and more that accept uncoded modules

	Warranty	Lifetime
Hardware	Compatible Brand	Citrix
Performance	DDM	No
	Maximum Data Transfer Rate	1.00 Gbps
	MTBF	510,469,759 hours
	Power Consumption (In Watts)	< 1W
	Type	Copper
Connector(s)	Connector A	1 - SFP Slot Plug
	Connector B	1 - RJ-45 Female
Physical Characteristics	Product Height	13.800
	Product Length	0.5 in [1.4 cm]
	Product Width	68.000
	Weight of Product	15.000
Packaging Information	Package Height	31.000
	Package Length	115.000
	Package Width	90.000
	Shipping (Package) Weight	50.000
	Fiber Operating Mode	Full-Duplex

Product appearance and specifications are subject to change without notice.