

Tripp Lite 1111 W. 35th Street Chicago, IL 60609 USA Telephone: 773.869.1234 www.tripplite.com

Full Motion Universal Ceiling Mount for Projectors

MODEL NUMBER: DUNVPJT







Highlights

- Universal design that fitsmost projector brands
- Integrated ball joint allows 360-degree full motion rotation and 20-degree tilt for multi-angle viewing
- Four adjustable support arms fit a wide range of mounting holes
- Load capacity up to 55 lbs.

Package Includes

- DUNVPJT Full Motion Universal Ceiling Mount for Projectors
- Mounting Hardware
- Owner's Manual

Description

Tripp Lite's VESA-compliant DUNVPJT Universal Projector Mount features a ceiling plate, ball-and-socket design, multi-directional positioning for proper image alignment and pre-installed security hardware at every connection point. With a universal design that fits most projector brands, the DUNVPJT is perfect for use in classrooms, boardrooms, hotels, bars, restaurants or anywhere a projector needs to be mounted. It offers flexible projector positioning with four adjustable support arms that fit a wide range of mounting holes. Its integrated ball joint allows 360-degree rotation and 20-degree tilt for multi-angle viewing. It has an easy grip knob that holds the image position without any sag or drift. The quick release connector allows the projector to be installed quickly and then easily released for maintenance, without re-alignment. The DUNVPJT supports weights up to 55 lbs. and comes with all necessary mounting hardware.

Features

VESA-compliant Universal Design

- Universal projector mount featuring a ball-and-socket design for multi-directional positioning
- Fits most projector brands
- VESA-compliant

Load Capacity

• Weights up to 55 lbs.

Multi-directional Positioning

- Integrated ball joint allows 360-degree full motion rotation and 20-degree tilt for multi-angle viewing
- Easy grip knob holds the image position without any sag or drift
- Four adjustable support arms fit a wide range of mounting holes
- A quick release connector allows the projector to be installed quickly and then easily released for maintenance, without re-alignment

Security

• Pre-installed security hardware at every connection point

Installation



• All necessary mounting hardware is included

Specifications

General Info	
Product Group	DISPLAY MOUNTS
TAA Compliant	No
OVERVIEW	
Mounting Location	Ceiling
Display Mount Type	Ceiling Mount
PHYSICAL	
Unit Dimensions (hwd / in.)	5.31 x 5.90 x 19.68
Unit Dimensions (hwd / cm)	13.9 x 15.0 x 49.9
Unit Weight (lbs.)	3.61
Unit Weight (kg)	1.64
Material of Construction	Steel
Color	Black
Monitor Display Size (in.)	Universal
Monitor Display Size (cm)	Universal
Motion	Full Motion
Degrees of Motion	360-degree full motion rotation; 20-degree tilt
Maximum Weight Capacity (lbs.)	55
Maximum Weight Capacity (kg)	24.95
SPECIAL FEATURES	
KVM Demo Flag	0
Console Server Demo Flag	0
US & Canada Only Flag	0
FEATURES/SPECIFICATIONS	
Tools Necessary	Yes
Cord Management	No
WARRANTY	



Product Warranty Period (U.S. & Canada)

5-year limited warranty

© 2015 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.