



GUC232C

USB-C® to Serial RS-232 Adapter

Coming Soon!

Breathe New Life into Legacy Devices. The USB-C to Serial RS-232 Adapter bridges the gap between your modern laptop and legacy serial devices. It connects industrial controllers, barcode scanners, scientific instruments, and more with reliable communication. Enjoy easy setup on Windows, Mac, and Linux with native driver support.



Features

- Supports USB-C Host connections
- Supports RS-232 serial interface
- Full compliance with USB specifications
- Supports up to 921.6 Kbps data transfer rates
- OS Compatibility: Windows, Mac, and Linux
- Works with legacy serial devices

Requirements

For PC Users

- Windows® 11, Windows® 10, Windows® 8.1
- Available USB-C port

For Mac Users

- Mac OS X 10.13+
- Available USB-C port

Package Contents

- 1x GUC232C
- 1x QSG
- 1x Warranty Card



Specifications

FUNCTION	GUC232C
Housing	
Case	Plastic
Power Consumption	90mA
LEDs	
On Line	1
Connectors	
USB	1x USB-C Male (Host)
Serial	1x DB-9
Data Rate	
USB Specification	USB 1.1 compliant
Transfer Rate	Up to 921.6Kbps
Cable Length	17.7 in (45 cm)
Operating Temperature	32 to 104 degree Fahrenheit
Storage Temperature	-4 to 140 degree Fahrenheit
Humidity	0-80% RH, (Non Condensing)
Power Connections	Bus powered
DIMENSIONS	GUC232C
Unit Dimensions	
Height	.6" (1.6cm)
Length	17.7" (45cm)
Width	1.3" (3.3cm)
Unit Package Dimensions	
Height	N/A
Width	N/A
Depth	N/A
Master Carton	
Height	N/A
Width	N/A
Depth	N/A
Master Carton Qty.	24
Weight	
Master Carton Wt.	N/A
Unit Pack Wt.	N/A



DIMENSIONS	GUC232C
Unit Wt.	N/A