

OfficeAssist™ Auto Feed Shredder A6000-HS Anti-Jam Micro Cut

Part Number: K52052AM | UPC Code: 0 85896 52052 8


Make your office more secure, efficient, and productive.

The 600-sheet OfficeAssist™ Auto Feed Shredder A6000-HS Anti-Jam Micro Cut speeds and secures high-volume shredding, helping to make larger offices more productive. Patented auto feed with 4-digit PIN lock lets you load up to 600 sheets of paper, lock it until shredding is complete, and walk away. P-5 Micro Cut shredding turns glossy paper, junk mail, staples, paper clips and credit cards into 1/16" x 9/16" (2mm x 15mm) pieces. Intelligent™ Jam Clearance automatically reverses the blades to clear excess paper from the cutter. A 29-gallon (1,300-sheet) bin with full indicator accommodates frequent use and includes built-in bag storage to keep new bags ready. Runs quietly and continuously for 240 minutes without overheating. Intelligent™ Power Save switches modes when not in use to save energy. Sturdy casters make it easy to use the shredder wherever you need it. Two-year warranty.

Features include:

- · Patented auto feed with 4-digit PIN lock
- Secure P-5 1/16" x 9/16" (2mm x 15mm) Micro Cut
- Quiet motor with self-cleaning Intelligent™ Jam Clearance
- 240-minute continuous run time
- · 29-gallon (1,300-sheet) bin with full indicator
- · Built-in bag storage
- Intelligent[™] Power Save
- · Sturdy casters







Kensington

OfficeAssist™ Auto Feed Shredder A6000-HS Anti-Jam Micro Cut

Part Number: K52052AM | UPC Code: 0 85896 52052 8

Intelligent™ Power Save – Automatically switches to this mode when not in use (but still turned on) to save energy. Patented Auto Feed with 4-Digit PIN Lock – Lets you load up to 600 sheets of paper, lock it until shredding is complete, and walk away. Shreds staples, paper clips, credit cards, junk mail, and glossy paper.

Quiet Motor with Self-Cleaning
Intelligent™ Jam Clearance — Reverses the
blades when too much paper is inserted
and upon completing a job to clear paper
from the cutter, helping avoid timeconsuming and frustrating paper jams.



240-Minute Continuous Run Time – Runs without overheating, for large jobs. P-5 Security Rating — Micro cut shredding turns paper into 1/16" x 9/16" (2mm x 15mm) pieces. Ideal for business confidential documents.



29-Gallon (1,300-Sheet) Bin with Full Indicator and Bag Storage — Shred more, empty less. An indicator lets you know when the bin is full, and built-in bag storage keeps new bags ready.

Sturdy Casters – Make it easy to use the shredder wherever you need it.

Kensington

OfficeAssist™ Auto Feed Shredder A6000-HS Anti-Jam Micro Cut

Part Number: K52052AM | UPC Code: 0 85896 52052 8







F	ea	tι	ıre	· C
1	ca	LU	110	د.

reactives			
Model	A1500-HS	A3000-HS	A6000-HS
Users	1-3 users	5 to 10	10 to 20
Cut Type	Micro Cut	Micro Cut	Micro Cut
Security Rating	P-5	P-5	P-5
Manual Sheet Capacity	6	8	10
Auto Sheet Capacity	150	300	600
Run Time	30 minutes	60 minutes	240 minutes
Bin Capacity	11.6 gallons (44 liters)	15.8 gallons (60 liters)	29 gallons (110 liters)
Bin Capacity in Sheets	500	700	1300
Bin Style	Pull-out	Pull-out	Cabinet
Shreds Staples, Paper Clips	•	•	•
Shreds Credit Cards	•	•	•
Intelligent™ Jam Clearance	•	•	•
Intelligent™ Power Save	•	•	•
Bin Full Indicator	•	•	•
Casters for Mobility		•	•
Noise Level	55 dBa	55 dBa	55 dBa
Lockable Chamber		4-digit PIN lock	4-digit PIN lock
Product Warranty	2-years	2-years	2-years



Kensington

OfficeAssist™ Auto Feed Shredder A6000-HS Anti-Jam Micro Cut

Part Number: K52052AM | UPC Code: 0 85896 52052 8

			n ·		
Ρr	odi	1CT	1)ım	ensions	-

Height	40.67in (1033mm)
Width	23.34in (593mm)
Depth	20.07in (510mm)
Weight	105.8lbs (48kg)
Security Level	P-5 - 1/16" x 9/16" (2 x 15mm)
Cut Style	Micro Cut

Packaging Dimensions

Height	44.29in (1125mm)
Width	29.40in (747mm)
Depth	26.65in (677mm)
Weight	115.7lbs (52.5kg)

Power & Environmental

Operating Temperature	5°C / 41°F – 30°C / 86°F
Opertaing Humidity	30-70% non condensing
Storage Temperature	-20°C / -4°F – 70°C / 158°F
Storage Humidity	30-95% non condensing

Country of Origin, Regulatory, and Warranty

Country of Origin	China
Regulatory Compliance	IEC, UL, CAN/CSA, FCC, ICES, TUV-Süd
Product Warranty	2-Years



