

12U Adjustable Depth Open Frame 4 Post Server Rack w/ Casters / Levelers and Cable Management Hooks

Product ID: 4POSTRACK12U



The 4POSTRACK12U 12U Server Rack lets you store your servers, network and telecommunications equipment in a sturdy, adjustable depth open-frame rack.

Designed with ease of use in mind, this 12U rack offers easy-to-read markings for both rack units (U) and depth, with a wide range of mounting depth adjustments (22 - 40in) that make it easy to adapt the rack to fit your equipment.

This durable 4-post rack supports a static loading capacity of up to 1200lbs (544kg), and offers compliance with several industry rack standards (EIA/ECA-310, IEC 60297, DIN 41494) for a universal design that's compatible with most rack equipment.



For a complete server storage solution that saves you time and hassle, the rack includes optional accessories such as casters, leveling feet and cable management hooks. The base is also pre-drilled for securely fastening the rack to the floor if needed, providing you with additional stability to better suit your server environment.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.



Certifications, Reports and Compatibility





Applications

- Durable storage for rackmount servers, KVM switches, and networking equipment
- Suitable for rackmount equipment where security at the rack level is not required
- Rack-mounting A/V equipment in a radio or television studio

Features

- 12U Open frame design
- Adjustable mounting depth from 22 40in
- Supports a static loading capacity of 1200lbs (544kg)
- Easy-to-read rack Unit (U) and depth adjustment markings
- Casters, leveling feet and cable management hooks included
- Pre-drilled holes to secure the rack directly to the floor
- Easy to assemble
- Flat-packed for easy shipping



	Warranty	2 Years
Hardware	Frame Type	Open Frame
	Industry Standards	EIA/ECA-310-E
	Mounting Hole Types	Square (For Cage Nut)
	Mounting Rail Profile	L-Shape
	Rack Type	4-Post
	Special Features	Adjustable Mounting Rails
		Base Plate with Floor-Anchoring Holes
		Built-in Cable Management
		Casters (Included)
		Easy Assembly
		Grounding Lug(s)
		Leveling Feet
		U-Markings
	U Height	12U
	Wallmountable	No
Performance	Weight Capacity (Stationary)	1202.9 lb [544.3 kg]
Performance Physical Characteristics	Weight Capacity (Stationary) Color	1202.9 lb [544.3 kg] Black
Physical		
Physical	Color	Black
Physical Characteristics Product	Color Construction Material	Black Steel
Physical Characteristics Product	Color Construction Material Maximum Mounting Depth	Black Steel 40 in [101.7 cm]
Physical Characteristics Product	Color Construction Material Maximum Mounting Depth Minimum Mounting Depth	Black Steel 40 in [101.7 cm] 22 in [56 cm]
Physical Characteristics Product	Color Construction Material Maximum Mounting Depth Minimum Mounting Depth Product Height	Black Steel 40 in [101.7 cm] 22 in [56 cm] 25.1 in [63.8 cm]
Physical Characteristics Product	Construction Material Maximum Mounting Depth Minimum Mounting Depth Product Height Product Height with Casters	Steel 40 in [101.7 cm] 22 in [56 cm] 25.1 in [63.8 cm] 28 in [71 cm]
Physical Characteristics Product	Color Construction Material Maximum Mounting Depth Minimum Mounting Depth Product Height Product Height with Casters Product Length	Black Steel 40 in [101.7 cm] 22 in [56 cm] 25.1 in [63.8 cm] 28 in [71 cm] 23.2 in [59 cm]
Physical Characteristics Product	Color Construction Material Maximum Mounting Depth Minimum Mounting Depth Product Height Product Height with Casters Product Length Product Width	Black Steel 40 in [101.7 cm] 22 in [56 cm] 25.1 in [63.8 cm] 28 in [71 cm] 23.2 in [59 cm] 23.6 in [60 cm]
Physical Characteristics Product Measurements Packaging	Construction Material Maximum Mounting Depth Minimum Mounting Depth Product Height Product Height with Casters Product Length Product Width Weight of Product	Black Steel 40 in [101.7 cm] 22 in [56 cm] 25.1 in [63.8 cm] 28 in [71 cm] 23.2 in [59 cm] 23.6 in [60 cm] 50.3 lb [22.7 kg]
Physical Characteristics Product Measurements Packaging	Color Construction Material Maximum Mounting Depth Minimum Mounting Depth Product Height Product Height with Casters Product Length Product Width Weight of Product Flat Pack (Assembly Required)	Black Steel 40 in [101.7 cm] 22 in [56 cm] 25.1 in [63.8 cm] 28 in [71 cm] 23.2 in [59 cm] 23.6 in [60 cm] 50.3 lb [22.7 kg] Yes



	Shipping (Package) Weight	58.2 lb [26.3 kg]
What's in the Box	Included in Package	2 - Left Vertical Rail
		2 - Right Vertical Rail
		2 - Base Bracket
		8 - Corner Section
		4 - Center Section
		2 - Top Bracket
		48 - M8 Bolt
		48 - M8 Washer
		1 - M8 (13mm) Wrench
		1 - M6 (10mm) Wrench
		1 - Phillips Screwdriver
		24 - M6 Cage Nut
		24 - PVC Cup Washer
		24 - M6 Phillips Head Screw
		4 - Cable Management Hook
		4 - Hook Mounting Screw
		4 - Casters
		4 - Leveling Feet
		16 - M6 Screw
		16 - M6 Flat Washer
		16 - M6 Flange Nut
		4 - Grounding Wires

Product appearance and specifications are subject to change without notice.