

DisplayPort to DVI Active Adapter

Product ID: DP2DVIS



The DP2DVIS DisplayPort to DVI Active Single Link adapter lets you connect your DisplayPort video source (desktop PC, laptop, etc.) to a DVI-D monitor, projector or display, including televisions and Apple Cinema Display HD, eliminating the expense of having to upgrade to a DisplayPort-capable monitor.

Unlike passive adapters, this DP to DVI converter offers an active conversion for use with any DisplayPort output - ideal for graphics cards that are not capable of outputting multi-mode DP++ signals (e.g. ATI Eyefinity). Supporting resolutions up to 1920x1200, this compact device provides a simple solution for converting DisplayPort output for compatibility with existing DVI monitors, televisions or projectors.

Backed by a StarTech.com 3-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility



Applications

- Ideal for digital entertainment centers, home offices, business conference rooms and trade show displays
- Keep your existing DVI monitor to be used with your new DisplayPort computer or source
- Great for using your DVI monitor as a secondary display
- Perfect for larger format screens that use high DVI resolutions
- Adapt from graphics cards that are not capable of outputting DP++ (multi-mode) signals

Features

- Supports resolutions up to 1920x1200
- Supported on any DVI-D display including televisions and Apple Cinema Display HD
- Latching DisplayPort connector
- Compliant with DisplayPort 1.1a specifications
- Supports HDCP 1.3
- Works with video cards not capable of outputting DP++ (multi-mode) signals

Hardware	Warranty	3 Years
	Active or Passive Adapter	Active
	Adapter Style	Adapters
	Audio	No
	AV Input	DisplayPort - 1.2
	AV Output	DVI
	Fire Rating	LSZH Rated (Low Smoke Zero Halogen)
	Industry Standards	HDCP 1.3 DisplayPort 1.1a DDWG 1.0
Performance	Maximum Digital Resolutions	1920x1200
	Wide Screen Supported	Yes
Connector(s)	Connector A	1 - DisplayPort (20 pin) Latching Male
	Connector B	1 - DVI-D (25 pin) Female
Environmental	Humidity	80~90% RH
	Operating Temperature	0°C to 40°C (32°F to 104°F)
	Storage Temperature	-20°C to 60°C (-4°F to 140°F)
Physical Characteristics	Cable Length	5.7 in [14.6 cm]
	Color	Black
	Product Height	0.8 in [2 cm]
	Product Length	7.9 in [20 cm]
	Product Width	1.7 in [44 mm]
	Weight of Product	1.7 oz [48 g]
Packaging Information	Package Height	0.8 in [20 mm]
	Package Length	8.7 in [22 cm]
	Package Width	7.9 in [20 cm]
	Shipping (Package) Weight	2 oz [57 g]
What's in the Box	Included in Package	1 - DisplayPort to DVI Adapter

Product appearance and specifications are subject to change without notice.