

## 42U Server Rack Cabinet - 36 in. Deep Enclosure

Product ID: RK4236BKB



This 42U server rack cabinet provides secure storage space for storing EIA-310 compliant 19" rack-mount devices such as Dell, HP and IBM servers, as well as telecommunication and A/V equipment. The server rack provides an economical yet robust solution, with a total load capacity of 907 kg (2000 lb.).

### **Hassle-free equipment installation**

This network rack comes assembled, providing hassle-free deployment.

With adjustable mounting rails, you can easily change the rail depth from 6 to 36 in. (152.4 mm - 914.4 mm) to support full-depth equipment. The extra depth also supports additional cable and power management behind your equipment.

Both the top and bottom panels have removable cable-access covers which provide easy access for cable management. The rack also features a grounding wire, which can be used in the front or rear, enabling you to ground your equipment for added protection.

Keep your equipment secure, cool, and accessible



To help keep your rack-mounted equipment secure, this rack features a reversible front door allowing for different rack configurations. The front and rear doors are both lockable, and the mesh design increases airflow to provide passive cooling.

The rack also has easily removable and lockable side panels, which allow for quick access to your equipment while still keeping it secure.

### Maximum maneuverability, with casters included

The enclosure cabinet comes with both casters and leveling feet already installed, providing ease of mobility around your office, studio, or server room. Additionally, the width and height of the rack fit through standard doorways, providing the freedom to move your rack as needed.

The RK4236BKB is backed by a StarTech.com 5-year warranty and free lifetime technical support.



# Certifications, Reports and Compatibility





### **Applications**

- Deploy in server rooms and data centers to maximize space and keep your equipment secure
- Install rack-mount servers, KVM switches, networking equipment and cabinet consoles
- House rack-mount audio/video equipment for broadcasting in your editing room or television studio

### **Features**

- Easy equipment installation with adjustable mounting depth
- Keep equipment secure with locking front and back doors and side panels
- Preinstalled casters and levelling feet provide easy maneuverability
- Total load capacity of 907 kg (2000 lb.)
- Passive cooling mesh doors
- Hassle-free cable management



	Warranty	5 Years
Hardware	Frame Type	Enclosed Cabinet
	Front Door Construction	Steel Mesh
	Front Door Features	Secure Key Lock with Reversible and Removable Front Door
	Industry Standards	EIA/ECA-310-E
	Mounting Hole Types	Square (For Cage Nut)
	Mounting Rail Profile	G-Shape
	Rack Type	4-Post
	Rear Door Construction	Steel Mesh
	Side Panel Construction	Steel
	Side Panel Features	Secure Key Lock with Removable Side Panels
	Special Features	Adjustable Mounting Rails
		Casters (Included)
		Grounding Lug(s)
		Leveling Feet
		Ships Fully Assembled
		U-Markings
	U Height	42U
	Wallmountable	No
Performance	Weight Capacity (Stationary)	2004.5 lb [907 kg]
Physical Characteristics	Color	Black
	Rear Door Features	Secure Key Lock
Product Measurements	Maximum Mounting Depth	36.4 in [92.5 cm]
	Minimum Mounting Depth	5.9 in [15 cm]
	Product Height	75.7 in [192.2 cm]
	Product Height with Casters	80.7 in [205.1 cm]
	Product Length	3.3 ft [1 m]
	Product Width	23.6 in [60 cm]
	Weight of Product	0 oz [0 g]
Packaging Information	Flat Pack (Assembly Required)	No



	Package Height	7.2 ft [2.2 m]
	Package Length	3.6 ft [1.1 m]
	Package Width	26.4 in [67.1 cm]
	Shipping (Package) Weight	344.8 lb [156 kg]
What's in the Box	Included in Package	1 - Enclosure Cabinet
		50 - M6 Screws
		50 - M6 Cage Nuts
		50 - Washers
		1 - Hex Key
		2 - Side-Panel Keys
		2 - Door Keys
		1 - User Manual

Product appearance and specifications are subject to change without notice.