

USB-C to 3.5 mm Headphone Jack Adapter

MODEL NUMBER: U437-001











Connects a microphone or stereo headphones to the USB-C or Thunderbolt 3 port on your MacBook Pro, Windows laptop or Chromebook.

Features

3.5 mm Audio Adapter Connects to Your Laptop's USB-C or Thunderbolt 3 Port

This USB Type-C Stereo Audio Adapter allows you to connect a microphone, earbuds, headphones or speakers to your MacBook Pro, Windows laptop, Chromebook or other device with a USB-C or Thunderbolt 3 port. This adapter allows you to bypass a defective sound card or 3.5 mm headphone jack, as well as connect to a device that offers only USB-C ports.

Ready to Use Right Out of the Package

The plug-and-play audio adapter requires no software or external power. The slim cable fits easily into a pocket, purse, backpack, briefcase or laptop bag for connecting on the go. The 24-bit U437-001 converts digital high-resolution audio to analog at a 96 kHz sample rate to maintain a crisp, lively sound.

Highlights

- Adds a 3.5 mm headphone/mic port to a device that comes without a stereo audio jack
- Connecting to a USB-C port lets you bypass a defective sound card or audio jack
- Slim adapter fits into a backpack or laptop bag for convenient listening anywhere
- Plug-and-play operation with no software required for speedy installation
- Compatible with Android, Windows and macOS, including iPads with USB-C port

System Requirements

- Microphone, headphones, earbuds and/or speakers with 3.5 mm plug
- Android, Windows or macOS (including iPad with USB-C port)

Package Includes

- U437-001 USB-C to 3.5 mm Headphone Jack Adapter
- Quick Start Guide

Specifications

OVERVIEW		
UPC Code	037332269669	
Technology	Stereo Audio	
AUDIO		
Audio Ports	3.5MM (FEMALE)	
Audio Ports Details	USB-C to 3.5mm Audio Adapter	
Audio Input	USB-C	
Audio Output	3.5mm	
Audio Specification	DAC 96 kHz, 24-Bit	



INPUT		
Built-In Cable Length (ft.)	0.66	
Built-In Cable Length (m)	0.2	
Built-In Cable Length (in.)	7.87	
Built-In Cable Length (cm)	20	
Bus Powered	Yes	
Product Length (in.)	10.75	
Product Length (cm.)	27.3	
Product Length (ft.)	0.9	
Product Length (m.)	0.27	
BATTERY		
Battery Charging (5V/1.5A Port)	No	
PHYSICAL		
Material of Construction	PC+ABS, TPE	
Color	Black	
Cable Jacket Color	Black	
Cable Jacket Material	TPE	
Cable Outer Diameter (OD)	2.5mm	
Cable Length (ft.)	0.43	
Cable Length (m)	0.13	
Cable Length (in.)	5.12	
Cable Length (cm)	1.3	
Shipping Dimensions (hwd / in.)	0.25 x 4.50 x 6.75	
Shipping Weight (lbs.)	0.02	
Unit Dimensions (hwd / in.)	0.51 x 1.10 x 1.81	
Unit Dimensions (hwd / cm)	1.3 x 2.8 x 4.6	
Unit Packaging Type	Polybag	
Unit Weight (lbs.)	0	
Unit Weight (kg)	0.00	
ENVIRONMENTAL		
Operating Temperature Range	-4 to 122F (-20C to 50C)	
Storage Temperature Range	-4 to 158F (-20C to 70C)	
Relative Humidity	20 ~ 80% RH	





CONNECTIONS		
Number of Ports	1	
Side A - Connector 1	USB C (MALE)	
Side B - Connector 1	3.5MM (FEMALE)	
Side B - Connector 2	(1) 3.5MM (FEMALE)	
FEATURES & SPECIFICATIONS		
USB Specification	USB 2.0 (up to 480 Mbps)	
Driver Required	No	
UASP Support	No	
Auto MDIX Support	No	
Full Duplex Support	No	
Suspend Mode Support	No	
Remote Wakeup Support	No	
STANDARDS & COMPLIANCE		
Certifications	RoHS, REACH, FCC	
WARRANTY		
Product Warranty Period (Worldwide)	1-year limited warranty	

© 2022 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: https://www.tripplite.com/products/product-certification-agencies